

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hlog (dsl OR adls OR xdsl OR vdsl) "carrier m

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 11 - 17 of 17 for **hlog (dsl OR adls OR xdsl OR vdsl) "carrier mask"**. (0.25 seconds)**[PDF] Network Working Group M. Morgenstern**File Format: PDF/Adobe Acrobat - [View as HTML](#)reference the downstream sub-carrier mask. It is a bitmap of up to 512 bits. ... Each array entry represents the real **Hlog**(f = i*Df) value for a ...ietfreport.isoc.org/rfc/PDF/rfc4706.pdf - [Similar pages](#)**[PDF] TD 168 (PLEN/15)**

File Format: PDF/Adobe Acrobat

line (DSL) transceivers. 3. Definitions. This Recommendation defines the following terms:

3.x. aggregate data rate: data rate transmitted by a **VDSL** system ...ties.itu.ch/.../COMMUNICATIONS/attached_documents/T05-SG15-050516-TD-PLEN-0168!!MSW-E.pdf - [Similar pages](#)**Dsl system estimation and parameter recommendation patent invention****VDSL** or very high bit rate **DSL** typically is implemented in asymmetric form, ... [0017]Estimates of a given **xDSL** system configuration are based on ...[www.freshpatents.com/Dsl-system-estimation-and-parameter-recommendation-](http://www.freshpatents.com/Dsl-system-estimation-and-parameter-recommendation-dt20050609ptan20050123027.php?typ...)dt20050609ptan20050123027.php?typ... - 95k - Supplemental Result -[Cached](#) - [Similar pages](#)**Dsl state and line profile control patent invention**1, 2005, entitled **DSL SYSTEM ESTIMATION INCLUDING KNOWN DSL LINE****SCANNING ...** (FEC) parameters and a **carrier mask** (CMASK) for a particular **DSL** customer/line ...[www.freshpatents.com/Dsl-state-and-line-profile-control-](http://www.freshpatents.com/Dsl-state-and-line-profile-control-dt20060907ptan20060198430.php?type=description)dt20060907ptan20060198430.php?type=description - 134k - Supplemental Result -[Cached](#) - [Similar pages](#)**Diff: /away/ietf/all-ids/draft-ietf-adslmib-vdsl2-01.txt - /away ...**Each array entry represents the real **Hlog**(f = i*Df) value for a ... **DSL** line configuration profile by **xDSL** Mode Specific, **DSL** line configuration profile by ...[bgp.potaroo.net/cgi-bin/htmldiff?f1=draft-ietf-adslmib-vdsl2-01.txt&f2=draft-ietf-adslmib-](http://bgp.potaroo.net/cgi-bin/htmldiff?f1=draft-ietf-adslmib-vdsl2-01.txt&f2=draft-ietf-adslmib-vdsl2-00.txt)[vds12-00.txt](#) - [Similar pages](#)**Network Working Group M. Morgenstern Internet-Draft M. Dodge ...**General IF-MIB Integration (RFC 2863) The New Generation **xDSL** Line MIB ... are

configuration parameters that reference the downstream sub-carrier mask. ...

www.potaroo.net/ietf/all-ids/draft-ietf-adslmib-adsl2-01.txt - 250k - Supplemental Result -[Cached](#) - [Similar pages](#)**From mailman-bounces@ietf.org Wed Jun 1 05:11:56 2005 Received ...**The working group will consider the input of the **DSL** forum and the ITU in the ... **STRING** instead of a huge **BITS** type for the sub **carrier mask** attributes. ...ftp.belnet.be/mirrors/ftp.ietf.org/ietf-mail-archive/adslmib/2005-06.mail - 250k -Supplemental Result - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 17 already displayed.

If you like, you can repeat the search with the omitted results included.

Result Page: [Previous](#) [1](#) [2](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hlog (dsl OR adsl OR xdsl OR vdsl) "carrier mask"

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 10 of about 76 for hlog (dsl OR adsl OR xdsl OR vdsl) "carrier mask". (1.58 seconds)

DSL system estimation and parameter recommendation - Patent ...A method of evaluating the **Hlog** function of a line in a **DSL** system, the method comprising:(1) setting a data-bearing frequency **carrier mask**; ...www.freepatentsonline.com/20050123027.html - 99k - [Cached](#) - [Similar pages](#)**DSL system estimation including known DSL line scanning and bad ...****VDSL** or very high bit rate **DSL** typically is implemented in asymmetric form, ... tone may have to be included in any **carrier mask** used to approximate **Hlog**. ...www.freepatentsonline.com/20060098725.html - 145k - [Cached](#) - [Similar pages](#)[[More results from www.freepatentsonline.com](#)]**1/draft-ietf-adslmib-vdsl2-00.txt 2006-08-01 22:12:26.000000000 + ...**Part of the line - configuration profile depends on the **xDSL** Mode: ... Each array entryrepresents the real **Hlog**($f = i \cdot Df$) value for a - particular ...tools.ietf.org/wg/adslmib/draft-ietf-adslmib-vdsl2/draft-ietf-adslmib-vdsl2-01-from-00.diff.txt- 197k - [Cached](#) - [Similar pages](#)**wdiff draft-ietf-adslmib-adsl2-04.txt draft-ietf-adslmib-adsl2-05.txt**General IF-MIB Integration (RFC 2863) The New Generation **xDSL** ADSL2 Line MIB specifies ... Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a ...tools.ietf.org/wg/adslmib/draft-ietf-adslmib-adsl2/draft-ietf-adslmib-adsl2-05-from-04.wdiff.html - 318k - [Cached](#) - [Similar pages](#)[[More results from tools.ietf.org](#)]**[Adslmib] Proposed changes to draft ADSL2 MIB**Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ... High Bit-Rate**DSL** - 2nd generation (HDSL2) and Single-Pair High-Speed Digital ...www1.ietf.org/mail-archive/web/adslmib/current/msg01521.html - 141k -[Cached](#) - [Similar pages](#)**rfc4706.txt**States are per the specific **xDSL** technology and are numbered from 0 (if G.994.1 is used) ... Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a ...www.ietf.org/rfc/rfc4706.txt - 340k - [Cached](#) - [Similar pages](#)**draft ietf adslmib vdsl2 02.txt**Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ... currentDESCRIPTION "The **DSL** Mode is a way of categorizing the various **xDSL** ...www.ietf.org/internet-drafts/draft-ietf-adslmib-vdsl2-02.txt - 375k - [Cached](#) - [Similar pages](#)**draft-ietf-adslmib-adsl2-05 - especially including ADSL, ADSL2 ...**When the number of bearer channels for a **DSL** line changes, the SNMP agent ... Eacharray entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ...www1.tools.ietf.org/html/draft-ietf-adslmib-adsl2-05 - 368k - [Cached](#) - [Similar pages](#)**heise Netze - draft-ietf-adslmib-vdsl2-02: Definitions of Managed ...**Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ... extends the **DSL** line configuration profile by **xDSL** Mode Specific parameters. ...www.heise.de/netze/rfc/drafts/draft-ietf-adslmib-vdsl2-02.shtml - 402k -[Cached](#) - [Similar pages](#)

WDIFF

Part of the line configuration profile depends on the **XDSL** ADSL Mode: ... Each array entry represents direction), such that the real **Hlog**($f = i \cdot Df$) value ...
ietfreport.isoc.org/cgi-bin/htmlwdiff?f1=..%2Fall-ids%2Fdraft-ietf-adslmib-vdsl2-01.txt&f2=..%2Fall-i... - 462k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hlog (dsl OR adsl OR xdsl) "carrier mask"

[Search](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 76 for **hlog (dsl OR adsl OR xdsl) "carrier mask"**. (0.31 seconds)**DSL system estimation and parameter recommendation - Patent ...**A method of evaluating the **Hlog** function of a line in a **DSL** system, the method comprising:(1) setting a data-bearing frequency **carrier mask**; ...www.freepatentsonline.com/20050123027.html - 99k - [Cached](#) - [Similar pages](#)**DSL system estimation including known DSL line scanning and bad ...**[0009] "**xDSL**" and "**DSL**" are terms used to generally refer to digital ... pilot tone may have to be included in any **carrier mask** used to approximate **Hlog**. ...www.freepatentsonline.com/20060098725.html - 145k - [Cached](#) - [Similar pages](#)[[More results from www.freepatentsonline.com](#)]**1/draft-ietf-adslmib-vdsl2-00.txt 2006-08-01 22:12:26.000000000 + ...**Part of the line - configuration profile depends on the **xDSL** Mode: ... Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a - particular ...tools.ietf.org/wg/adslmib/draft-ietf-adslmib-vdsl2/draft-ietf-adslmib-vdsl2-01-from-00.diff.txt- 197k - [Cached](#) - [Similar pages](#)**wdiff draft-ietf-adslmib-adsl2-04.txt draft-ietf-adslmib-adsl2-05.txt**General IF-MIB Integration (RFC 2863) The New Generation **xDSL** ADSL2 Line MIB specifies ... Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a ...tools.ietf.org/wg/adslmib/draft-ietf-adslmib-adsl2/draft-ietf-adslmib-adsl2-05-from-04.wdiff.html - 318k - [Cached](#) - [Similar pages](#)[[More results from tools.ietf.org](#)]**rfc4706 txt**States are per the specific **xDSL** technology and are numbered from 0 (if G.994.1 is used) ... Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a ...www.ietf.org/rfc/rfc4706.txt - 340k - [Cached](#) - [Similar pages](#)**draft ietf adslmib vdsl2 02 txt**Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ... current DESCRIPTION "The **DSL** Mode is a way of categorizing the various **xDSL** ...www.ietf.org/internet-drafts/draft-ietf-adslmib-vdsl2-02.txt - 375k - [Cached](#) - [Similar pages](#)**[Adslmib] Proposed changes to draft ADSL2 MIB**Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ... High Bit-Rate**DSL** - 2nd generation (HDSL2) and Single-Pair High-Speed Digital ...www1.ietf.org/mail-archive/web/adslmib/current/msg01521.html - 141k -[Cached](#) - [Similar pages](#)**draft-ietf-adslmib-adsl2-05 - especially including ADSL, ADSL2 ...**When the number of bearer channels for a **DSL** line changes, the SNMP agent ... Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ...www1.tools.ietf.org/html/draft-ietf-adslmib-adsl2-05 - 368k - [Cached](#) - [Similar pages](#)**heise Netze - draft-ietf-adslmib-vdsl2-02: Definitions of Managed ...**Each array entry represents the real **Hlog**($f = i \cdot Df$) value for a particular ... extends the **DSL** line configuration profile by **xDSL** Mode Specific parameters. ...www.heise.de/netze/rfc/drafts/draft-ietf-adslmib-vdsl2-02.shtml - 402k -[Cached](#) - [Similar pages](#)

WDIFF

Part of the line configuration profile depends on the **XDSL** ADSL Mode: ... Each array entry represents direction), such that the real **Hlog**($f = i \cdot Df$) value ...
ietfreport.isoc.org/cgi-bin/htmlwdiff?f1=..%2Fall-ids%2Fdraft-ietf-adslmib-vdsl2-01.txt&f2=..%2Fall-i... - 462k - [Cached](#) - [Similar pages](#)

Result Page: 1 2 3 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hlog (dsl OR adsl OR xdsl)

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about 345 for **hlog (dsl OR adsl OR xdsl)**. (0.20 seconds)**DSL system estimation and parameter recommendation - Patent ...**

A method of evaluating the **Hlog** function of a line in a **DSL** system, ... [0008] "**xDsl**" and "**DSL**" are terms for used to generally refer to digital subscriber ...

www.freepatentsonline.com/20050123027.html - 99k - [Cached](#) - [Similar pages](#)

DSL system estimation including known DSL line scanning and bad ...

[0009] "**xDsl**" and "**DSL**" are terms used to generally refer to digital subscriber ... Scanning can be used for various purposes including **Hlog** estimation. ...

www.freepatentsonline.com/20060098725.html - 145k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

(WO/2007/008835) DSL SYSTEM ESTIMATION

Estimates of a communication system configuration, such as a **DSL** system, ... One example of such prompted data uses the **Hlog** of a given channel to obtain ...

www.wipo.int/pctdb/en/ia.jsp?IA=US2006026795&REF=RSS - 39k - [Cached](#) - [Similar pages](#)

(WO/2005/057857) DSL SYSTEM ESTIMATION AND PARAMETER RECOMMENDATION

Estimates of a communication system configuration, such as a **DSL** system, ... data uses frequency carrier masks to approximate the **Hlog** of a given channel, ...

www.wipo.int/pctdb/en/wo.jsp?WO=2005/057857 - 39k - [Cached](#) - [Similar pages](#)

broadband help » Forums » US Telco Support » AT&T Midwest ...

31 **DSL** Link Status up 32 Time Since Last Sync 000 days 03:34:21 ... 330 Receive CCF ps **Hlog** - 331 Receive CCF ps HLin - 332 Receive QLN ps ...

www.dslreports.com/forum/remark;18032895~start=20 - [Similar pages](#)

broadband help » Forums » US Telco Support » AT&T Midwest ...

330 Receive CCF ps **Hlog** - 331 Receive CCF ps HLin - 332 Receive QLN ps - 333 Receive SNR ps ... [29] \$15 Verizon **DSL** Returns - For users who order online ...

www.broadbandreports.com/forum/remark;18032895~start=20 - [Similar pages](#)

broadband help » Forums » US Telco Support » AT&T Midwest ...

If that really is the condition of your **DSL** line, you've got broad spectrum ... 330Receive CCF ps **Hlog** - 331Receive CCF ps HLin - 332Receive QLN ps ...

www.broadbandreports.com/forum/remark;17965353 - [Similar pages](#)

DSL ZoneUK - Hardware reviews - Belkin 7633 (F5D7633-UK4) Wireless ...

This only works with providers that provide LLU 8 Mbps, or **DSL** Max 8Mbps from BT - it ... adsl info [--state] [--show] [--stats] [--SNR] [--QLN] [--**Hlog**] ...

www.dslzoneuk.net/hw_reviews.php?id=6 - 59k - Apr 10, 2007 - [Cached](#) - [Similar pages](#)

Technician Readout

55, Test **DSL** Ethernet to ATM, pass. 56, Test LAN Ethernet Connection, pass ... 330, Receive CCF ps **Hlog**. - 331, Receive CCF ps HLin. - 332, Receive QLN ps ...

www.zipzipfel.com/loadtechreadout.cgi - 72k - [Cached](#) - [Similar pages](#)

DSL-Modem Hilfe - Forum :: Thema anzeigen - DMT für Siemens ADSL ...- [Translate this page]

adsl info [--state] [--show] [--stats] [--SNR] [--QLN] [--**Hlog**] [--Hlin] ... Ja, aber scheint der

grösste Schrott zu sein (oder der **DSL**-Teil ist defekt). ...
forum.mhilfe.de/viewtopic.php?p=16488 - 165k - [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

hlog (dsl OR adls OR xdsl)

Search

[Advanced Search](#)
[Preferences](#)**Web**

Results 11 - 20 of about 345 for hlog (dsl OR adls OR xdsl). (0.21 seconds)

DSL system estimation including known DSL line scanning and bad ...

"xDSL" and "DSL" are terms used to generally refer to digital subscriber line ... carrier masks to approximate the Hlog of a given set of frequencies. ...

www.patentdebate.com/PATAPP/20060098725 - Supplemental Result - [Similar pages](#)

[PPT] Information comment solicitation on ITU FEC INP submission for ...

File Format: Microsoft Powerpoint - [View as HTML](#)

SNRs, Hlog, PSD. DSL. LT. ("DSLAM"). DSL. NT. ("CPE"). Same as. Dynamic Line Management (DLM); DSL Optimization. Practiced by a DSL Service Provider (on ...

www.wtc2006.com/present/new3/Cioffi.ppt - Supplemental Result - [Similar pages](#)

DSL SYSTEM ESTIMATION

DSL SYSTEM ESTIMATION. ... of such prompted data uses the Hlog of a given channel to obtain information regarding bridged taps, bad splices, ...

www.tmcnet.com/usubmit/2007/01/23/2274408.htm - 108k - Supplemental Result -

[Cached](#) - [Similar pages](#)

can't download with DSL - LinuxQuestions.org

can't download with DSL Linux - Hardware. ... 330 Receive CCF ps Hlog - 331 Receive CCF ps HLin - 332 Receive QLN ps - 333 Receive SNR ps ...

www.linuxquestions.org/questions/showthread.php?s=&threadid=261155 - 89k -

Supplemental Result - [Cached](#) - [Similar pages](#)

GSV-DSL-MIB DEFINITIONS ::= BEGIN IMPORTS MODULE-IDENTITY, OBJECT ...

File Format: Unrecognized - [View as HTML](#)

To create a DSL system, perform a set operation with valid values on ... "DELT-related parameter that provides an array of real upstream Hlog(f) values in ...

girish.adventnet.com/download.php?id=1786&sid=8b28fba83aa3385746e9b24a26b36db2 -

Supplemental Result - [Similar pages](#)

Acronym list | Department of Communications, Information ...

HLOG High Level Official Group. HR Human resources ... xDSL x Digital Subscriber Line.

Document ID: 15955 |; Last modified: 30 August 2006, 10:27am ...

archive.dcita.gov.au/2004/10/2003-2004_annual_report/acronym_list - 21k -

[Cached](#) - [Similar pages](#)

WEBlight RSS Reader

Důsledkem je meziměsíční zvýšení naměřených rychlostí DSL služeb v LLU síti Volný o ...

Zvýšení rychlostí DSL na zpřístupněných místních smyčkách sítě Volný ...

rss.weblight.info/?prikaz=prehled-clanku&zdroj=11 - 977k - Apr 11, 2007 -

[Cached](#) - [Similar pages](#)

Zen Support Forum - Netgear DG834, DG834g and DG834gt Tricks & Tips

adslctl info [--state] [--show] [--stats] [--SNR] [--QLN] [--Hlog] [--lin ... Also there is DSL

Modem Tool ; which is a very nifty tool for DG834GT routers ...

forum.zensupport.co.uk/thread/24157.aspx - 74k - [Cached](#) - [Similar pages](#)

Techno ADSL > Théorie du signal : SNR(i), QLN(i), HLIN(i), HLOG(i) ... - [Translate this page]

Techno ADSL > Théorie du signal : SNR(i), QLN(i), HLIN(i), HLOG(i). Par GRIZZ., samedi

25 mars 2006 à 22:07 :: xDSL Files :: #10 :: rss ...

grizz.club.fr/index.php?2006/03/25/10-techno-adsl- - 14k - Supplemental Result -
[Cached](#) - [Similar pages](#)

PDF Chapter 2: The Physical Layer

File Format: PDF/Adobe Acrobat - [View as HTML](#)

DSL: Digital Subscriber Line. Remove the filters. Bandwidth ... **DSL** Equipment. DSLAM.
Splitter. Codec. Splitter. Telephone ...

www.cs.unm.edu/~maccabe/classes/585/FALL02/chap02.pdf - [Similar pages](#)

Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google